

**Display Unit Report**

**Equipment ID:** LBR 0000004804  
**Equipment Group:** BOXC  
**Date and Time:** 05/11/2017 - 11:00:24 AM EDT

Flags Legend	
Mandatory Value	
ETC-Gen	
Rating	

**General**






Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Status Code	USCD		A	A - ACTIVE	
Mechanical Designation	UMMD		XP	XP - Box-Non-Insulated, Specially Equipped for Specific Commodities	
Equipment Type Code	UMET		A402	A402	
Built Date	BLDT		19751101	11/01/1975	
Rebuilt / ILS Date	RBDT				
Owner	UMOW		SKRX	SKRX	
Lessee	LESE		YSRR	YSRR	
Maintenance Party	MNPT		SKRX	SKRX	
Mark Owner Category	B201		V	V	
Prior Equipment ID	PRID		CSXT0000141524	CSXT0000141524	
Last Update Date	B122		20170429	04/29/2017	
Equipment Add Date	B082		20030318	03/18/2003	
Status Change Reason	USCR		M	M - Movement	
Status Change Date	USCT		20080311	03/11/2008	
Extended Service	A096		E	E - Built new from July 1,1974, Qualified for 50 Years Service	
End of Service Date	B078		20251101	11/01/2025	
Equipment Identification	EINN		0000124370	0000124370	
Info Conflict Status	B355				
Conflict Status	B050				
Date of Original Conflict	B063				
Next Conflict Status	B135				
Notice Indicator	B137				
Conflict Status Next Date	B062				
Rate Indicator	A070		M	M - Railroad Market Rate	
Private Zero Rate	B150				
TTX Hourly Rate	B212				
TTX Mileage Rate	B213				
Sub 19 (Ex Parte 346)	A227				
First Movement Date	USAT		20080311	03/11/2008	
Equipment Add Company	B083				
Registration Reason	B174				
Restencil Program Ind	B177				
Non-Compliant Wheelsets	B544				

**Weight**




Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Gross Rail Load/Weight	A266		220000	220000 lb	
Tare Weight	A259		60500	60500 lb	
Load Limit	LDLT		159500	159500 lb	
Weighing Status	A289		A	A - Actual	
Weighing Date	A288		20010902	09/02/2001	
Cubic Feet Capacity	A067		5077	5077 cuft	
Star Code	A247				
Qual for Inc GRL	B344				

**Dimension**


Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Plate Code	A046		B	B - Plate Code B	
Outside Length	OSLG		669	55 ft 9 in	
Outside Extreme Width	A186		128	10 ft 8 in	
Outside Extreme Height	A185		178	14 ft 10 in	
Outside Height Extr Width	A187		163	13 ft 7 in	
Outside Upper Eaves Width	A194		115	9 ft 7 in	
Outside Upper Eaves Hght	A193		170	14 ft 2 in	
Outside Lower Eaves Width	A190				
Outside Lower Eaves Hght	A189				

Inside Length	A135	 	606	50 ft 6 in	
Inside Width	A138	 	114	9 ft 6 in	
Inside Height	A133		127	10 ft 7 in	
Truck Center Length	A276		490	40 ft 10 in	
Platform Hght Above Rail	A192				


### Door

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Side Door Type	B193	 	01	01 - Single Sliding Doors	
Box Side Door Orientation	B192		C	C - Centered	
Side Door Width	A240		120	10 ft 0 in	
Side Door Height	A238		119	9 ft 11 in	
End Door Width	A082				
End Door Height	A080				
Anti-Pilferage Locking	B016				
Door Assist Type	B072		U	U - Unknown	

### Specification

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Truck Count	B256		2	2	
Axle Count	A024	 	4	4	
Wheel Bearing Type	B191	 	R	R - Roller	
Bearing Shielded From HBD	B021				
Brake Shoe Type	B026		H	H - High Friction Composite	
CC Side Bearing Type	A146				
Empty/Load Device Eqpd	B075				
Body Material	A030	 	19	19 - Standard Steel	
Center Of Gravity Empty	A045				
Remote Monitoring Device	B176				
AEI High Temperature Tag	B006				
Permanent Heater	B147				
Connected Unit Count	A020				
Intermediate Conn Style	B115				
Operating Brakes	A182				
ECP Brake Type	B327				
ECP Brake Builder	B328				
Slack Adjuster Group	B538				
Brake Cylinder Mount Type	B540				
Equipment Builder	A035				
Builder Lot Code	B030				
Built Country	B031				
Rebuilt Country	B170				
FRA Reflectorization	B096				
Refrig Emission Code	B345				
Air Hose Arrangement	B524				
4-Port ABT Receiver Eqpd	B539				

### Feature

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Floor Material	A104		24	24 - Steel Nailable, Reinforced (includes alternate wood and steel floor)	
Fir Strength Classfn	A102		50K	50K - 50000 Pounds	
Floor Drain Equipped	B095				
Wood Racks Covering Floor	B233				
Pallet Equipped	B144				
Lining Material	A158		28	28 - Unlined	
Bulkhead Type	B034				
Column Load Dividers	B046				
Interior Rack	B114				
Side Filler Equipped	B194				
Lading Strap Anchor Eqpd	B121				
Adj Lading Strap Equipped	B281				
Belt Rail Equipped	B024				
Rub Rail	B183				

Retention Bar Equipped	B269				
Roof Type	A226				
Vent Openings	B222				
Refrigeration Fuel Type	A207				
Refrigeration Level	B172				
Class A Explosives Eqpd	B089				

### Cost

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Original Cost	A184		27532	27532 usd	
Ledger Value	A150		27547	27547 usd	
Total A&B	A003		15	15 usd	
Ind for Pos/Neg Total A&B	A128		P	P - Positive	

### Car Management

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Pool Number	P001	■	7910002	7910002	
Pool Control	TCPC		R	R	
User Routing Instructions	TCUR				
Umler Transportation Code	TCOD		R	R	
Transportation Cond Code	TCCD				
Mechanical Restriction	TCME				
Mech Restriction Reason	TCMR				
Sys Gen Routing Inst	TCGR				

### Train Service

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Restricted Speed Empty	B180				
Restricted Speed Loaded	B181				
Shove Car To Rest	B189				
Shove Adj. Car To Rest	B188				
Train Position Sensitive	B211				
End of Train Only	B277				
Check Trailing Tonnage	B044				
Curve Negotiate Exception	B178				
Cooper Rating Exception	B273				
Clearance Exception	B275				

### Miscellaneous

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Umler Effective Date	EFDI		20080701	07/01/2008	

### Inspection Due Dates

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
ABT Due Date	DU13		20171209	12/09/2017	
ABT 5-8 Year Due Date	DU58		20201201	12/01/2020	
Door Lube Due Date	DUDL		20171205	12/05/2017	

### Inspection Car Grade Inspection (CGI)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Car Grade	CG01		B	B - B-Grade B	
Car Grade Inspection Date	CG02		20161105	20161105	
Car Grade Inspection Time	CG03		1430	1430	
Car Grade Location SPLC	CG04		380433000	380433000	
Car Grade Inspection SCAC	CG05		BRC	BRC	

### Inspection Air Brake Test (ABT)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Air Brake Test Device	B523		A	A - Automatic (Non-4 Port)	
Inspection Date Done	DTDN		20151209	12/09/2015	
Inspection Performer	PERF		CSXT	CSXT	
Inspection Reporter	REPT		CSXT	CSXT	

Location/SPLC	SPLC		345293000	345293000	
---------------	------	--	-----------	-----------	--

### Inspection Reflectorization Event (REF)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20051128	11/28/2005	
Inspection Performer	PERF		RAIL	RAIL	
Inspection Reporter	REPT		RAIL	RAIL	
Location/SPLC	SPLC		411657000	411657000	

### Inspection Door Lube Inspection (DLI)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20161105	11/05/2016	
Inspection Performer	PERF		BRC	BRC	
Inspection Reporter	REPT		BRC	BRC	
Location/SPLC	SPLC		380433000	380433000	

### Component Flat View

Element Name	Loc	ID	Flags	DB Value	Formatted Value	Conflict	Comp.
A&B Pos/Neg Ind	AB1	A316		P	P - Positive		ABIND
A&B Amount	AB1	A317		15	15 usd		ABIND
A&B Date Done	AB1	A319		20121211	12/11/2012		ABIND
A&B Type	AB1	A318		INIT	INIT - Initial load of historical A&B amount as of Umler 4.6 implementation date		ABIND
Axle Spacing Distance	01	B020	● ■	68	68 - 68 Inches in		AXLESPACE
Axle Spacing Distance	02	B020	● ■	68	68 - 68 Inches in		AXLESPACE
Truck Axle Count	B	B252	●	2	2		TRUCK
Truck Axle Count	A	B252	●	2	2		TRUCK
Journal Size	B	A147	● ■	E	E - 6X11		TRUCK
Journal Size	A	A147	● ■	E	E - 6X11		TRUCK
Wheel Diameter	B	A294	● ■	33	33 - 33 Inches		TRUCK
Wheel Diameter	A	A294	● ■	33	33 - 33 Inches		TRUCK
Stability Device Equipped	B	B199	■	Y	Y - Yes		TRUCK
Stability Device Equipped	A	B199	■	Y	Y - Yes		TRUCK
Wheelset Component ID	2	B350		SPSX3600137487	SPSX3600137487		WHEELSET
Wheelset Component ID	3	B350		C4622000075075	C4622000075075		WHEELSET
Coupler Code	B	A057		E60CHTE	E60CHTE - Type E (Rule 16) - E60CHTE		DRAFTSYS
Coupler Code	A	A057		E60CHT	E60CHT - Type E (Rule 16) - E60CHT		DRAFTSYS
Coupler Style	B	B058	● ▲ ■	P	P - Plain		DRAFTSYS
Coupler Style	A	B058	● ▲ ■	P	P - Plain		DRAFTSYS
Inches of Travel	B	B061	▲ ■	15	15 in		DRAFTSYS
Inches of Travel	A	B061	▲ ■	15	15 in		DRAFTSYS
Draft Gear/Cushion Type	B	B073	● ▲ ■	E	E - Cushioning at End of Car (EOC)		DRAFTSYS
Draft Gear/Cushion Type	A	B073	● ▲ ■	E	E - Cushioning at End of Car (EOC)		DRAFTSYS